


INTERMODULATION CONTROL DEVICES

146 - 226 MHz

Model No. List Price	Description	Frequency	Pwr: Input Ref1	Bandwidth: Fixed	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
7430/1S	Single Isolator, 10 Watt Load	146-226	25W 10 W		0.40 dB	30 + dB	10 W	1 1/2 x 3 1/2 x 2 1/2 39 x 89 x 64	3 1.4
W7440/2	Single Isolator, 15 Watt Load	146-226	25 W 15 W		0.30 dB	30 + dB	15 W	1 3/8 x 3 1/2 x 4 1/8 35 x 89 105	3 1.4
W7440/3	Single Isolator, 30 Watt Load	146-226	50 W 30 W		0.30 dB	30 + dB	30 W	1 3/8 x 3 1/2 x 4 1/8 35 x 89 105	3 1.4
W7450/4	Single Isolator, 60 Watt Load	146-226	125 W 60 W		0.30 dB	30 + dB	60 W	1 3/8 x 3 1/2 x 5 5/8 35 x 89 x 143	3 1.4
W7450/4A	Single Isolator, 75 Watt Load	146-226	125 W 75 W		0.30 dB	30 + dB	75 W	1 1/2 x 3 1/2 x 6 3/4 39 x 89 x 172	4 1.9
W7450/5	Single Isolator, 125 Watt Load	146-226	125 W 125 W		0.30 dB	30 + dB	125 W	3 1/2 x 11 x 10 1/2 89 x 280 x 267	7 3.2

ISOLATORS & CIRCULATORS



7430/1S



W7440/2



W7440/3



W7450/4



W7450/4A

W7450/5



INTERMODULATION CONTROL DEVICES
146 - 226 MHz

ISOLATORS & CIRCULATORS


Model No. List Price	Description	Frequency	Pwr: Input Ref	Bandwidth: Fixed	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
W7450/5A		146-226	125 W						
W7460/5H	Single Isolator, 125 Watt Load	146-226	250 W 125 W		0.30 dB	30 + dB	125 W	6 3/4 x 11 x 5 172 x 280 x 127	8 3.7
W7460/6H	Single Isolator, 250 Watt Load	146-226	250 W 250 W		0.30 dB	30 + dB	250 W	6 3/4 x 11 1/2 x 6 1/2 172 x 293 x 166	12 5.5
W7480/7H		146-226	500 W						

INTERMODULATION CONTROL DEVICES


146 - 226 MHz

Model No. List Price	Description	Frequency	Pwr: Input Ref1	Bandwidth: Fixed	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
8440/22	Dual Isolator, 15/15 Watt Load	146-226	25 W 15 W		0.45 dB	60+ dB	15/15 W	1 1/2 x 5 1/2 x 4 1/8 39 x 140 x 105	3 1.4
8440/23	Dual Isolator, 15/30 Watt Load	146-226	50 W 30 W		0.45 dB	60+ dB	15/30 W	1 1/2 x 5 1/2 x 4 1/8 39 x 140 x 105	3 1.4
8440/34	Dual Isolator, 30/60 Watt Load	146-226	50 W 50 W		0.45 dB	60+ dB	30/60 W	1 1/2 x 5 1/2 x 5 5/8 39 x 140 x 143	3 1.4
W8440/22	Dual Isolator, 15/15 Watt Load	146-226	25 W 15 W		0.45 dB	60+ dB	15/15 W	1 1/2 x 5 1/2 x 4 1/8 39 x 140 x 105	3 1.4
W8440/23	Dual Isolator, 15/30 Watt Load	146-226	50 W 30 W		0.45 dB	60+ dB	15/30 W	1 1/2 x 5 1/2 x 4 1/8 39 x 140 x 105	3 1.4
W8440/34	Dual Isolator, 30/60 Watt Load	146-226	50 W 50 W		0.45 dB	60+ dB	30/60 W	1 1/2 x 5 1/2 x 5 5/8 39 x 140 x 143	3 1.4

ISOLATORS & CIRCULATORS



8440/22



8440/23



8440/34



W8440/22



W8440/23



W8440/34

INTERMODULATION CONTROL DEVICES

146 - 226 MHz

ISOLATORS & CIRCULATORS

Model No. List Price	Description	Frequency	Pwr: Input Ref1	Bandwidth: Fixed	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
W8450/34	Dual Isolator, 30/60 Watt Load	146-226	125 W 60 W		0.45 dB	60+ dB	30/60 W	1 1/2 x 5 1/2 x 5 5/8 39 x 140 x 143	4 1.9
W8450/34A	Dual Isolator, 30/75 Watt Load	146-226	125 W 75 W		0.45 dB	60+ dB	30/75 W	1 1/2 x 5 1/2 x 6 3/4 39 x 140 x 172	5 2.3
W8450/3B		146-226	125 W			60+ dB			
W8450/35	Dual Isolator, 30/125 Watt Load	146-226	125 W 125 W		0.45 dB	60+ dB	30/125 W	3 1/2 x 12 x 10 89 x 305 x 254	7 3.2
W8450/45	Dual Isolator, 60/125 Watt Load	146-226	125 W 125 W		0.45 dB	60+ dB	30/125 W	3 1/2 x 12 x 10 89 x 305 x 254	7 3.2
W8450/34AH	Dual Isolator, 30/75 Watt Load	146-226	150 W 75 W		0.45 dB	60+ dB	30/75 W	2 3/4 x 5 1/2 x 6 3/4 70 x 140 x 172	5 2.3



W8450/34

W8450/34A



W8450/35



W8450/45



INTERMODULATION CONTROL DEVICES
146 - 226 MHz

Model No. List Price	Description	Frequency	Pwr: Input Ref	Bandwidth: Fixed	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
W8450/44AH		146-226	150 W						
W8460/45H	Dual Isolator, 60/125 Watt Load	146-226	250 W 125 W		0.45 dB	60+ dB	60/125 W	8 3/4 x 19 x 6 3/4 223 x 483 x 172	12 5.5
W8460/46H	Dual Isolator, 60/250 Watt Load	146-226	250 W 250 W		0.45 dB	60+ dB	60/250 W	6 3/4 x 8 x 9 1/4 172 x 204 x 235	12 5.5

W8450/44AH

W8460/45H

W8460/46H

ISOLATORS & CIRCULATORS